

**Notice of Allowability**

Application No.

10/828,928

Examiner

Ellen Kim

Applicant(s)

COLEMAN, BRIAN

Art Unit

2874

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/11/06.
2. ☒ The allowed claim(s) is/are 1,6-9,11-15,22-27,37 and 42.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian Coleman on 8/28/06.

The application has been amended as follows:

In claim 1, line 15, after";", delete ---and---

In claim 1, on the last line, after "the second light bullet", and before ".", add "; and an absorption layer extending from the waveguide, the absorption layer being separate from the plurality of channels, the absorption layer to absorb light bullets representing control signals";

Cancel claim 7;

In claim 26, on the last second line, delete --- and---

In claim 26, on the last line, after "a second optical data channel", and before ".", add "; and an absorption layer extending from the waveguide, the absorption layer being separate from the plurality of channels, the absorption layer to absorb light bullets representing control signals";

In claim 37, line 18, after "less than the first level of effectiveness" and before ";", add "; and an absorption layer extending from the waveguide, the absorption

Art Unit: 2874

layer being separate from the plurality of channels, the absorption layer to absorb light bullets representing control signals”; and

In claim 42, line 12, after “than the first level of quality”, and before “;”, add “; and an absorption layer extending from the waveguide, the absorption layer being separate from the plurality of channels, the absorption layer to absorb light bullets representing control signals”.

The following is an examiner’s statement of reasons for allowance: the prior art does not disclose or suggest a multi-channel optical switch comprising all the specific components with the specific combination including an absorption layer extending from the waveguide, the absorption layer being separate from the plurality of channels, the absorption layer to absorb light bullets representing control signals as set forth in claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

### ***Conclusion***

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2874

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

For all official patent application related correspondence for organizations reporting to the Commissioner of Patents:

- Correspondence that is transmitted by facsimile must be directed to the central facsimile number, (703) 872-9306.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ellen Kim whose telephone number is (571) 272-2349. The examiner can normally be reached on Monday through Thursday.

Ellen E. Kim  
Primary Examiner  
August 29, 2006/EK

A handwritten signature in black ink, appearing to be 'E. Kim', written over a horizontal line.